


Life of Fred[®]
Linear Algebra
Expanded Edition

Stanley F. Schmidt, Ph.D.



Polka Dot Publishing

A Note to Classroom Students and Autodidacts

In calculus, there was essentially one new idea. It was the idea of the limit of a function. Using that idea, we defined the derivative and the definite integral. And then we played with that idea for two years of calculus.

In linear algebra, we dip back into high school algebra and begin with the idea of solving a system of linear equations like

$$\begin{cases} 3x + 4y = 18 \\ 2x + 5y = 19 \end{cases}$$

and for two or three hours on a Saturday while Fred goes on a picnic, we will play with that idea.

✓ We can change the variables: $\begin{cases} 3x_1 + 4x_2 = 18 \\ 2x_1 + 5x_2 = 19 \end{cases}$

✓ We can consider three equations and three unknowns.

✓ We can look at the coefficient matrix $\begin{pmatrix} 3 & 4 \\ 2 & 5 \end{pmatrix}$

✓ We can consider the case in which the system has exactly one solution (Chapter 1), or when it has many solutions (Chapter 2), or when it has no solution (Chapter 3).

✓ Etc.

Of course, the “Etc.” covers all the new stuff such as model functions, orthogonal complements, and vector spaces. But they are all just ideas that you might encounter in the Kansas sunshine as you went on a picnic.

Enjoy!

A Note to Teachers

Is there some law that math textbooks have to be dreadfully serious and dull? Is there a law that students must be marched through linear algebra shouting out the cadence count Definition, Theorem and Proof, Definition, Theorem and Proof, Definition, Theorem and Proof, Definition, Theorem and Proof, as if they were in the army. If there are such laws, then *Life of Fred: Linear Algebra* is highly illegal.

Besides being illegal, this book is also fattening. Instead of heading outside and going skateboarding, your students will be tempted to curl up with this textbook and read it. In 368 pages, they will read how Fred spent three hours on a Saturday picnic with a couple of his friends. I think that Mary Poppins was right: a spoonful of sugar can make life a little more pleasant.

So your students will be fat and illegally happy.

But what about you, the teacher? Think of it this way: *If your students are eagerly reading about linear algebra, your work is made easier. You can spend more time skateboarding!*

This book contains linear algebra—lots of it. All the standard topics are included. A good solid course stands admixed with the fun.

At the end of every chapter are six sets of problems giving the students plenty of practice. Some are easy, and some are like:

If $T, T' \in \text{Hom}(\mathcal{V}, \mathcal{V})$, and if TT' is the identity homomorphism, then prove that $T'T$ is also the identity homomorphism.

Life of Fred: Linear Algebra also has a logical structure that will make sense to students. The best teaching builds on what the student already knows. In high school algebra they (supposedly) learned how to solve systems of linear equations by several different methods.

The four chapters that form the backbone of this book all deal with systems of linear equations:

Chapter 1—Systems with Exactly One Solution

Chapter 2—Systems with Many Solutions

Chapter 3—Systems with No Solution

Chapter 4—Systems Evolving over Time

These chapters allow the students to get their mental meat hooks into the less theoretical material.

Then in the interlarded Chapters ($1\frac{1}{2}$, $2\frac{1}{2}$, $2\frac{3}{4}$, $3\frac{1}{2}$) we build on that foundation as we ascend into the more abstract topics of vector spaces, inner product spaces, etc.

Lastly, your students will love you even before they meet you. They will shout for joy in the bookstore when they discover you have adopted a linear algebra textbook that costs only \$52.

Contents

| | |
|---|-----|
| Chapter 1 Systems of Equations with One Solution..... | 13 |
| high school algebra, three equations with three unknowns | |
| coefficient and augmented matrices | |
| elementary row operations | |
| Gauss-Jordan elimination | |
| Gaussian elimination | |
| Chapter 1½ Matrices..... | 48 |
| matrix addition $A + B$ | |
| scalar multiplication rA | |
| matrix multiplication AB | |
| matrix inverse A^{-1} | |
| proof of associative law of matrix multiplication $(AB)C = A(BC)$ | |
| elementary matrices | |
| LU-decomposition | |
| permutation matrices | |
| Chapter 2 Systems of Equations with Many Solutions..... | 92 |
| four difficulties with Gauss-Jordan elimination | |
| #1: a zero on the diagonal | |
| #2: zeros “looking south” | |
| #3: zeros “looking east” | |
| #4: a row with all zeros except for the last column | |
| free variables | |
| echelon and reduced row-echelon matrices | |
| general solutions | |
| homogeneous systems | |
| rank of a matrix | |
| Chapter 2½ Vector Spaces. | 127 |
| four properties of vector addition | |
| a very short course in abstract algebra | |
| four properties of scalar multiplication | |
| five vector spaces | |
| linear combinations and spanning sets | |
| linear dependence/independence | |
| basis for a vector space | |
| coordinates with respect to a basis | |
| dimension of a vector space | |
| subspace of a vector space | |
| row space, column space, null space, and nullity | |

| | |
|--|-----|
| Chapter 2 ³ / ₄ Inner Product Spaces..... | 197 |
| dot product | |
| inner product | |
| positive-definiteness | |
| length of a vector (norm of a vector) | |
| angle between two vectors | |
| perpendicular vectors (orthogonality) | |
| Gram-Schmidt orthogonalization process | |
| orthonormal sets | |
| Fourier series | |
| harmonic analysis | |
| double Fourier series | |
| complex vector spaces with an inner product | |
| orthogonal complements | |
| Chapter 3 Systems of Equations with No Solution..... | 232 |
| overdetermined/underdetermined systems | |
| discrete/continuous variables | |
| the normal equation/“the best possible answer” | |
| least squares solution | |
| data fitting | |
| model functions | |
| Chapter 3 ¹ / ₂ Linear Transformations..... | 259 |
| rotation, reflection, dilation, projection, derivatives, matrix multiplication | |
| linear transformations, linear mappings, vector space homomorphisms | |
| linear operators | |
| ordered bases | |
| zero transformation, identity transformation | |
| the equivalence of linear transformations and matrix multiplication | |
| $\text{Hom}(\mathcal{V}, \mathcal{W})$ | |
| linear functionals | |
| dual spaces | |
| second dual of \mathcal{V} . | |
| Chapter 4 Systems of Equations into the Future A^{100} | 304 |
| transition matrix | |
| determinants | |
| characteristic polynomial/characteristic equation | |
| eigenvalues | |
| algebraic multiplicity/geometric multiplicity | |
| computation of A^{100} | |
| stochastic matrices | |
| Markov chains | |
| steady state vectors | |
| regular matrices | |
| absorbing states | |

similar matrices
systems of linear differential equations
Fibonacci numbers
computer programs for linear algebra

Index. 363

Chapter One

Systems of Equations with One Solution

$Ax = b$ ☺

Fred had never really been on a lot of picnics in his life. Today was special. Today at noon he was going to meet his two best friends, Betty and Alexander, on the Great Lawn on campus, and they were going to have a picnic.

One good thing about being at KITTENS University* is that just about everything imaginable is either on campus or nearby.

Wait! Stop! I, your loyal reader, need to interrupt. In your old age, dear author, you're getting kind of foggy-brained.

What do you mean?

I'm reading this stuff very carefully, since it's a math book and I have to pay attention to every word. Isn't it obvious that KITTENS would have "just about everything imaginable . . ." since you are doing the imagining?

Good point. I spoke the truth and plead as John Peter Zenger pleaded.**

I accept. Please go on with your story.

Thank you.

Fred knew that food is one important part of a picnic. He picked up the local newspaper and read . . .

* KITTENS University. Kansas Institute for Teaching Technology, Engineering and Natural Sciences.

Background information: Professor Fred Gauss has taught math there for over five years. He is now six years old. Betty and Alexander are students of his. They are both 21.

** In his *Weekly Journal*, Zenger criticized the New York governor. Heavens! The government sent him to jail for libel. He had to wait ten months for his trial. At his trial in 1735 he was accused of promoting "an ill opinion of the government." Zenger's defense was that what he had written was true. The judge said that truth is no defense in a libel case. But the jury ignored the judge and set Zenger free. That marked a milestone in American law. Truth then became a legitimate defense in criminal libel suits in America after that trial. In England that idea did not catch on until the 1920s.

THE KITTEN Caboodle




The Official Campus Newspaper of KITTENS University

Saturday 11:02 a.m. Grocery Shopping Edition 10¢

PICNIC MANIA— THE NEW RAGE

KANSAS: A new fad is sweeping the country. Everyone is going on picnics. This was announced last night on television.

News of this great surge in popularity has taken the country by surprise. No one here at the Caboodle news center knew picnicking was popular, much less that it was the newest craze. (continued on p. 31)



"We must picnic," our university president declared in an exclusive Caboodle interview. (continued on p. 24)

--- advertisement ---

Paw Prints Pawn Shop



We are now accepting for pawn all the stuff from previous manias: Hula-Hoops™, things you stick in your ear to hear music, narrow neckties, leisure suits, laptops, ukeleles, raccoon coats, and overpriced real estate.

"Never fight the urge to pawn!" SM

--- advertisement ---

Butter Bottom Foods

If you're new to picnicking, there's nothing that beats our . . .




"It's always a better buy at Butter Bottom!" SM

Perfect! thought Fred. I'm sure that Butter Bottom's Sack-o-Picnic Food will do the trick. I don't want to disappoint Betty and Alexander.

In a jiffy,* Fred walked to Butter Bottom Foods. And there at the front of the store was a Sack-o-Picnic Food display.

* *In a jiffy* (or *in a jiff*) used to be a common expression meaning "in a very short period of time." Those fun-loving physicists have redefined a *jiffy* as the time it takes for light to travel the radius of an electron.



Wow! Fred thought. They sure make it easy. All I gotta do is choose a sack, and I'm ready to head off to see Alexander and Betty.

Fred was curious. He opened the first sack and looked inside. There were a can, five bottles, and three jars.

He took out the can . . . a bottle . . . and a jar.



In the first sack, one can, five bottles, and three jars cost \$2.65.

$$c + 5b + 3j = 2.65$$

Fred knew That's not enough to tell me what each of the items cost.

He opened the second sack. Two cans, 3 bottles, and 4 jars.

$$2c + 3b + 4j = 2.75$$

The third sack: Five cans, 32 bottles, and 3 jars. Wow. That's a lot of Sluice!

$$5c + 32b + 3j = 10.20$$

With three equations and three unknowns, Fred could use his high school algebra and solve this system of equations:

$$\begin{cases} c + 5b + 3j = 2.65 \\ 2c + 3b + 4j = 2.75 \\ 5c + 32b + 3j = 10.20 \end{cases}$$

In high school algebra, we were often more comfortable using x , y , and z :

$$\begin{cases} x + 5y + 3z = 2.65 \\ 2x + 3y + 4z = 2.75 \\ 5x + 32y + 3z = 10.20 \end{cases}$$

Intermission

Do your eyes begin to glaze over when you see lines of equations? In other words: Are you normal?

Unfortunately, much of linear algebra is about solving systems of linear equations like those above. This book has four main chapters. The first three chapters deal directly with solving systems of linear equations:

- Chapter 1: Systems with One Solution
- Chapter 2: Systems with Many Solutions
- Chapter 3: Systems with No Solution.

The crux of the matter is that systems of linear equations keep popping up all the time, especially in scientific, business, and engineering situations.



Who knows? Maybe even in your love life systems of linear equations might be waiting right around the corner as you figure the cost of 6 pizzas, 2 violinists, and 3 buckets of flowers.

On the next page is a *Your Turn to Play*. Even though this is the 27th book in the *Life of Fred* series, the *Your Turn to Play* might be new to some readers. Let me explain what's coming.

I, as your reader, would appreciate that. I hate surprises.

Psychologists say that the best way to really learn something is to be personally involved in the process. The *Your Turn to Play* sections give you that opportunity.

The most important point is that you honestly attempt to answer each of the questions before you look at the solutions. Please, please, please, please, please, please, please, please, please with sugar on it.

Your Turn to Play

1. We might as well start off with the eyes-glaze-over stuff. Pull out your old high school algebra book if you need it. Solve

$$\begin{cases} c + 5b + 3j = 2.65 \\ 2c + 3b + 4j = 2.75 \\ 5c + 32b + 3j = 10.20 \end{cases}$$

by the “elimination method.” (The other two methods that you may have learned are the substitution method—which works best with two equations and two unknowns—and the graphing method—which, in this case, would involve drawing three planes on the x-y-z axes and trying to determine the point of intersection.)

2. Since this is *linear* algebra, we will be solving *linear* equations. Which of these equations are linear?

$$9x + 3y^2 = 2$$

$$3x + 2xy = 47$$

$$7\sin x + 3y = -8$$

$$5\sqrt{x} = 36$$

3. Sometimes linear equations might have four variables. Then they might be written $3w + 2x + 898y - 5z = 7$.

But what about in the business world? In your fountain pen factory, there might be 26 different varieties of pens. Then your linear equation might look like: $2a + 6b + 8c + 9d - 3e - f + 2g + 14h + 4i - 3j + 2k - 11l + 3m + 8n + 20o + 5p + 2q + 3r + 9s + 2t + 99u + 3v + 8w + 8x - y + 2z = 98723$. Even then, we might get into a little trouble with the 11l (eleven “el”) term or the 20o (twenty “oh”) term.

If you are in real estate, and there are 40 variables involved in determining the price of a house (e.g., number of bedrooms, size of the lot, age of the house . . .), you could stick in some of the Greek letters you learned in trig: $2a + 6b + 8c + 9d - 3e - f + 2g + \dots + 8w + 8x - y + 2z + 66\alpha - 5\beta + 2\gamma + \dots = \$384,280$.

If you are running an oil refinery, there might be a hundred equations. Then you might dip into the Hebrew alphabet (א ב ג) and the Cyrillic alphabet (Д, Ж, И).

One of the major thrusts of linear algebra is to make your life easier. Certainly, $6x + 5z - 9Д + 2ξ = 3$ doesn't look like the way to go.

Can you think of a way out of this mess?

4. How many solutions does $x + y = 15$ have?
5. [Primarily for English majors] What's wrong with the definition: "A linear equation is any equation of the form $a_1x_1 + a_2x_2 + \dots + a_nx_n = b$ where the a_i (for $i = 1$ to n) and the b are real numbers and n is a natural number"?

Recall, the natural numbers are $\{1, 2, 3, \dots\}$ and they are often abbreviated by the symbol \mathbb{N} .

..... COMPLETE SOLUTIONS

1. Now I hope that you hauled out a sheet of paper and attempted this problem before looking here. I know it's *easier* to just look at my answers than to do it for yourself.

And it's easier to eat that extra slice of pizza than to diet.

And it's easier to cheat on your lover than to remain faithful.

And it's easier to sit around than to do huffy-puffy exercise.

But *easier* can make you fat, divorced, and flabby.

My solution may be different than yours since there are several ways to attack the problem. However, our final answers should match.

I'm going to use x , y , and z instead of c , b , and j . The letter x will stand for the cost of one can of Picnic Rice™, y will stand for the cost of one bottle of Sluice™, and z will stand for the cost of a jar of mustard.

$$\begin{cases} x + 5y + 3z = 2.65 \\ 2x + 3y + 4z = 2.75 \\ 5x + 32y + 3z = 10.20 \end{cases}$$

If I take the first two equations, multiply the first one by -2 , and add them together I get

$$-7y - 2z = -2.55$$

If I take the first and third equations, multiply the first one by -5 , and add them together I get

$$7y - 12z = -3.05$$

Now I have two equations in two unknowns. If I add them together I get one equation in one unknown

$$-14z = -5.60$$

so $z = 0.40$ (which means that a jar of mustard costs 40¢).

The last part of the process is to **back-substitute**. Putting $z = 0.40$ into

$$7y - 12z = -3.05$$

we get $7y - 12(0.40) = -3.05$

so $y = 0.25$ (which means that a bottle of Sluice costs 25¢).

Back-substituting $z = 0.40$ and $y = 0.25$ into any one of the three original equations, will give $x = 0.20$ (so a can of Picnic Rice costs 20¢). This may be the last time you ever have to work with all those x 's, y 's, and z 's (unless, of course, you become a high school math teacher). As we progress in linear algebra, the process of solving systems of linear equations will become easier and easier. Otherwise, why in the world would we be studying this stuff?

2.

$9x + 3y^2 = 2$ is not linear because of the y^2 .

$3x + 2xy = 47$ is not linear because of the $2xy$.

$7\sin x + 3y = -8$ is not linear because of the $\sin x$.

$5\sqrt{x} = 36$ is not linear because of the \sqrt{x} .

3. The place where we dealt with an arbitrarily large number of variables was in *Life of Fred: Statistics*, but you might not remember the Wilcoxon Signed Ranks Test in which we had a sample $x_1, x_2, x_3, x_4, \dots$. We used variables with subscripts. Now it doesn't make any difference whether we have three variables or 300.

And you'll never have to face $6z - 8\Theta + 2\psi = 98.3$ unless you really want to.

Index

| | |
|--|--|
| <p><i>a fortiori</i>..... 292</p> <p>a posteriori. 293</p> <p>a priori. 292</p> <p>absorbing state. 340</p> <p>abstract algebra. 132</p> <p style="padding-left: 20px;">abelian group. 132</p> <p style="padding-left: 20px;">field..... 132</p> <p style="padding-left: 20px;">group..... 132</p> <p style="padding-left: 20px;">groupoid. 132</p> <p style="padding-left: 20px;">module. 135</p> <p style="padding-left: 20px;">monoid. 132</p> <p style="padding-left: 20px;">ring. 132</p> <p style="padding-left: 20px;">semigroup. 132</p> <p>algebraic multiplicity..... 321</p> <p>augmented matrix.. 21</p> <p>back-substitution. 19, 34</p> <p>basis. 164</p> <p>best possible answer... 237-239</p> <p>binary operation. 140</p> <p>cancellation. 135, 136</p> <p>catalog of linear transformations 269</p> <p>characteristic equation. 319</p> <p>characteristic polynomial.... 319</p> <p>characteristic value..... 333</p> <p>characteristic vector. 333</p> <p>cheeses from A to C..... 175</p> <p>Chop Down theorem. 170</p> <p>closed under addition. 139</p> <p>closed under vector addition and scalar multiplication 174</p> <p>coefficient matrix..... 21</p> <p>column. 23</p> | <p>column space. 179</p> <p>column-rank..... 182</p> <p>complex conjugate..... 228</p> <p>complex inner product space 228</p> <p>computer programs for linear algebra. 354</p> <p>consistent systems of equations 114</p> <p>contrapositive..... 107</p> <p>converse..... 107</p> <p>conversion factors. 314</p> <p>coordinates of a vector with respect to a basis. ... 166</p> <p>Cramer's Rule. 311</p> <p>data fitting. 243</p> <p>determinants</p> <p style="padding-left: 20px;">$AB = A B$..... 316</p> <p style="padding-left: 20px;">1×1. 314</p> <p style="padding-left: 20px;">2×2. 311</p> <p style="padding-left: 20px;">3×3. 312</p> <p style="padding-left: 20px;">4×4 (or higher). 313</p> <p style="padding-left: 20px;">an overview..... 311-315, 317, 318</p> <p style="padding-left: 20px;">cofactor..... 313</p> <p style="padding-left: 20px;">expansion by minors.... 312</p> <p style="padding-left: 20px;">hairnet..... 312</p> <p style="padding-left: 20px;">handy facts. 314, 316</p> <p style="padding-left: 20px;">interchange any two rows 315</p> <p style="padding-left: 20px;">multiply a row by a scalar 315</p> <p style="padding-left: 20px;">row of zeros. 315</p> <p style="padding-left: 20px;">upper triangular..... 315</p> |
|--|--|

Index

- diagonal. 24
- diagonalize a matrix. 330
- differential equations. . . 343, 344
- boundary point conditions
. 346
 - general solution. 346
 - initial conditions. 346
 - particular solution. 346
- dimension of a matrix. 108
- distinguished element. 99
- dot product. 199
- double Fourier series. 221
- doubly-augmented matrix. . . . 31
- dual space. 282
- echelon form. 99
- eigenvalues. 320
- eigenvector. 321
- elementary column operations
. 179
- elementary matrices. 70
- elementary row operations. . . . 22
- elimination method. 17
- even function. 202
- Explosive theorem. 181
- Fibonacci numbers. 350
- Fill 'er Up theorem. 171
- fixed probability vector. 339
- forward-substitution 78
- Fourier series. 218-221
- free variable. 98, 108
- function. 128, 300
- codomain. 128
 - domain. 128
 - image. 128
 - range. 128
- Gauss-Jordan elimination. 22
- how long it takes. 35
- Gaussian elimination. 35
- how long it takes. 35
- general solution. 101
- geometric multiplicity. 327
- Goldbach conjecture. 253
- golden ratio. 351
- golden rectangle. 351
- Gram-Schmidt orthogonalization
process. 211-214
- proof. 214, 215
- Handy Facts (determinants)
. 314, 315
- Handy Guide to Dating Systems
of Linear Equations
. 110
- hanging the vines. 327
- harmonic analysis. 220
- $\text{Hom}(V, W)$ 278
- homogeneous. 104
- i, j, and k.** 149
- identity element. 66
- identity matrix. 62
- identity transformation. 270
- iff. 66
- infinite dimensional vector
spaces. 167
- inner product. 201
- of polynomials. 203, 204
 - of two continuous real-valued
functions. 206, 207
- inner product space. 203
- for complex scalars. 228
 - of all $m \times n$ matrices . . 223-227

Index

- inverse matrix
 - to compute. 62
 - to solve $Ax = b$ 61
- inverses. 107
- invertible matrices. 121
- isomorphic. 143
- Kronecker delta. 88
- latent root. 333
- latent vector. 333
- leading variables. 99
- least squares solution. 239
- linear combination. 145, 146
- linear equations. 17, 20
- linear functional. 281
- linear mappings. 262
- linear operator. 262
- linear transformation. 261, 262
 - multiplying. 297
- linearly dependent. 151
- logically equivalent. 107
- lower triangular. 44
- lower-upper matrix
 - decomposition. 75
- LU-decomposition. 75
- Markov chain. 336
- matrix
 - addition. 50
 - definition. 21
 - diagonal. 88
 - equal matrices. 63
 - expanded definition. 49
 - identity matrix. 62
 - inverse matrix. 61
 - multiplication. 54
 - reduced row-echelon. 99
 - row-equivalent. 65
 - singular. 104, 105
 - subtraction. 82
 - transpose. 96
- matrix multiplication
 - associative. 65
 - associative (proof). 66-68
- Mean Value Theorem. 197
- model function. 246
- mutatis mutandis*. 167
- n-tuples. 143
- Nice theorem. 167
- Nightmare #1: There is a zero on the diagonal. 94
- Nightmare #2: Zeros all the way down. 94
- Nightmare #3: Zeros to the right. 95
- Nightmare #4: A row with all zeros except for the last column. 96
- Nine Steps to Compute a Power of a Matrix. 319
 - algebraic multiplicity of two. 321
 - characteristic equation. 319
 - characteristic polynomial. 319
 - D. 329
 - diagonalize a matrix. 330
 - eigenvalues. 320
 - eigenvector. 321
 - geometric multiplicity. 327
 - P. 327

Index

- “hanging the vines.” 327
 nonsingular matrices. 121
 norm of a vector. 206
 normal equation. 235, 236
 null space. 195
 nullity. 195
 ordered basis. 267
 orthogonal complement. . . . 231
 orthogonal vectors. 209, 217
 linearly independent. 211
 parameter. 101
 permutation matrix. 82
 perp. 231
 pigeonhole principle. 279
 pivot variables. 99
 positive matrix. 193
 Positive-definiteness. 201
 Prof. Eldwood’s *Authoritative
 Guide to the Polite Way...*
 72
 Professor Eldwood’s *Guide to
 Happy Picnics.* 49
 Professor Eldwood’s *History and
 What It’s Good For.* . . . 38
 Professor Eldwood’s *Inkbook*
 114
 Professor Eldwood’s *Lions in the
 Great Woods of Kansas*
 305
 projection. 265
 proper value. 333
 proper vector. 333
 rank of a matrix. 105
 equals number of pivot
 variables. 194
 reduced row-echelon form.
 26, 27, 99
 regular stochastic matrix. . . . 339
 row. 21
 row space. 178
 row vectors are linearly
 dependent when—
 —Handy Summary. 160
 —New Quicker Summary. 162
 row vectors span a space if—
 —Handy Summary. 160
 —New Quicker Summary. 162
 scalar multiplication.
 51, 128, 131, 134
 scalars. 51
 second dual. 287
 similar matrices. 342
 singleton. 152
 singular matrices. 105
 span. 149, 150
 spanning set. 150
 stationary vector. 339
 steady state vector. 336
 stochastic matrices. 336
 regular. 339
 subscriptsmanship. 58
 subspace. 173
 subspace theorems. 174
 trace of a matrix. 227
 transition matrix. 306
 trivial solution. 161
 underdetermined linear system
 43
 unit vectors. 217
 unit-upper-triangular. 75

Index

| | |
|----------------------------------|-------------|
| upper triangular. | 37 |
| variables | |
| continuous. | 235 |
| discrete. | 235 |
| vector. | 32, 49, 128 |
| angle between two vectors | |
| | 205 |
| length. | 205 |
| perpendicular. | 205 |
| unit. | 217 |
| zero vector. | 137 |
| vector addition. | 130 |
| definition. | 131 |
| vector space. | 138 |
| definition. | 131, 172 |
| vector space homomorphisms | |
| | 262 |
| well-defined operations. | 140 |
| whole numbers. | 128 |
| Zenger, John Peter. | 13 |
| zero matrix. | 57 |
| zero subspace. | 172 |
| zero transformation. | 269 |
| zero vector space. | 190 |